

# *KillTest*

质量更高 服务更好



## 学习资料

<http://www.killtest.cn>

半年免费更新服务

**Exam** : **1Z0-447**

**Title** : Oracle GoldenGate 12c  
Implementation Essentials

**Version** : DEMO

1.What is the purpose of a VAM parameter?

- A. It specifies that a Vendor Access Module is being used to perform data transformation functions.
- B. It specifies that a Vendor Access Module is being used to perform data capture functions.
- C. It specifies that a Virtual Access Module is being used to perform data capture functions.
- D. It specifies that Virtual Application Memory is being used to perform data replication functions.

**Answer: B**

Explanation:

Reference:

[https://docs.oracle.com/goldengate/1212/gg-winux/GWURF/gg\\_parameters189.htm#GWURF737](https://docs.oracle.com/goldengate/1212/gg-winux/GWURF/gg_parameters189.htm#GWURF737)

2.You are migrating from a legacy database server to Exadata, which requires you to use different versions of GoldenGate.

What do you need to configure to ensure that backwards replication works?

- A. The Replicat with the FORMAT RELEASE parameter.
- B. The Extract with the FORMAT RELEASE parameter.
- C. The Extract to write directly to the remote trail.
- D. The collector with the FORMAT RELEASE parameter.

**Answer: A**

3.You are experiencing an issue with the downstream database server for the Integrated Capture Downstream Model.

Which step should you take to resolve the issue?

- A. Ensure that the Oracle database version on the downstream database server is the same version as the source Oracle version.
- B. Ensure that the platform type of the downstream database server is the same platform as the source database server.
- C. Ensure that the GoldenGate version used on the downstream database server is the same version used on the source database server.
- D. Ensure that the GoldenGate version used on the downstream database server is the same version used on the target database server.

**Answer: B**

Explanation:

Reference: [https://docs.oracle.com/goldengate/1212/gg-winux/GIORA/ic\\_deploy.htm#GIORA472](https://docs.oracle.com/goldengate/1212/gg-winux/GIORA/ic_deploy.htm#GIORA472)

4.Which syntax would you use in an OBEY script to stop a process without waiting for user input?

- A. stop \* noinput
- B. stop immediate \*
- C. stop \* !
- D. stop force \*

**Answer: C**

5.What is the SOCKSPROXY subparameter of the RMTHOST parameter typically used for?

- A. replicating information using a SOCKS5 proxy server, thereby creating a tunnel for TCP communication between a source Extract and a target process

- B. connecting to a source database via secure communication
- C. remote capturing
- D. configuring remote database access

**Answer:** A

Explanation:

Reference: [http://www.dba86.com/docs/oracle/ogg/E66315\\_01/gg-winux/GWURF/rmthost.htm#GWURF631](http://www.dba86.com/docs/oracle/ogg/E66315_01/gg-winux/GWURF/rmthost.htm#GWURF631)