

# *KillTest*

质量更高 服务更好



## 学习资料

<http://www.killtest.cn>

半年免费更新服务

**Exam** : **1Z0-546**

**Title** : StorageTek Tape Libraries  
Essentials

**Version** : Demo

1.Which of the items are reports available from SLC regarding partitioning on an SL500?

- A. Cartridge Cell and Media Summary
- B. Host Connections Summary
- C. Orphaned Cartridge Report
- D. Partition Summary
- E. Partition Details
- F. All of the above

**Answer: F**

2.What ACSLS command would change a cap priority.?

- A. set cap priority 5 0, 0, 1
- B. define cap priority 5 0,0,1
- C. change cap priority 5 0, 0, 1
- D. lock cap priority 5 0, 0, 1

**Answer: A**

3.Using ACSLS, how would you delete a tape pool?

- A. Set scr off and delete the pool
- B. Remove all data tapes and delete the pool
- C. Delete pool 0 and all empty pools will delete automatically
- D. Remove all volumes from the pool and then delete it

**Answer: A**

4.Which connectivity option is available only in an SL8500 library complex?

- A. single TCP/IP connectivity
- B. dual TCP/IP connectivity
- C. multi TCP/IP connectivity

5.Where are the messages written when a pool gets below the low water mark?

- A. acsss\_event.log
- B. pool\_error.log
- C. hardware\_event.log
- D. Doesn't write an error message

**Answer: A**

6.On the SL8500, which is the best option when combining workloads that span more than one rail?

- A. using the middle two rails for active enters and ejects
- B. using rails that are adjacent to each other within the same SL8500
- C. using the top rail for extra archival space and any other rail for active data
- D. using the top rail for active enters and ejects and any other rail for archival space

**Answer: C**

7.The System Detail SLC screen displays health indicators for which four devices in an SL3000?

- A. Rotational and AFM CAPs

- B. Drives
- C. Media
- D. Power supplies
- E. Robot(s)

**Answer:** A,B,D,E

8.Which four statements are true for an SL8500?

- A. Partitioned LSMs will not recognize other LSMs, within the library unless they are in the same partition.
- B. The elevator operation is under the control of the library controller when CAP operations are issued.
- C. CAPS can either be shared or dedicated resources for partitions.
- D. All drives, storage slots, and cartridges within a partition are solely owned by that host or host group.
- E. While duplicate VOLSERs are supported by the library, ACSLS does not support duplicate VOLSERs unless they are in different partitions and the duplicate VOLSERs are on different ACLs servers.

**Answer:** B,C,D,E

9.Which SL500 report displays the current map of physical drive slot relationship to its physical address (iib, module, row) and drive serial number?

- A. Library Utilization
- B. Drive Utilization
- C. Drive Mapping
- D. Drive Distribution

**Answer:** C

10.Partitioning allows the SL3000 library to be divided for use by multiple\_\_\_\_\_.

- A. Power Supplies
- B. Storage Cells
- C. Hosts
- D. Drives

**Answer:** C